

Stormwater CIRP Project List

Project Number	Long Name	Description	Budget Amount	Financial Year	Project Type Desc	Problem Description	Fund Number	Red Zone	Yellow Zone	Green Zone
10006	LEE AVE. #337 STORM SEWER	CONSTRUCT 1,110 FEET OF 12-INCH DIAMETER TO 34-INCH BY 53-INCH HORIZONTAL ELLIPTICAL PIPE, FROM ROSE LANE TO LEE AVENUE.	323,000	FY17	Stormwater	FLOODING DUE TO INADEQUATE STORM SEWER SYSTEM.	5571	-	-	G
10009	JETT DRIVE #10129 STORM SEWER	CONSTRUCT 325 FEET OF 12-INCH TO 24-INCH RCP STORM SEWER.	120,000	FY18	Stormwater	BASEMENT FLOODING.	5576	-	-	G
10020	HUDSON RD. #1401 - #1405 BANK STABILIZATION (MCDW-120)	CONSTRUCT 280 FEET OF MODULAR BLOCK WALL, 365 FEET OF BIOSTABILIZED BANK, AND 55 FEET OF HEAVY STONE REVETMENT.	680,000	FY18	Stormwater	THE REAR YARDS OF RESIDENTIAL PROPERTIES AT 1401 AND 1405 HUDSON ROAD.	5576	-	-	G
10035	BIG BEND TO PAPIN STORM SEWER PHASE I	CONSTRUCT 1,915 FEET OF 12-INCH TO 36-INCH DIAMETER STORM SEWERS AND APPURTENANCES.	690,000	FY18	Stormwater	PROPERTY DAMAGE DUE TO BASEMENT AND YARD FLOODING.	5593	-	-	G
10070	HALL STREET FROM RIVERVIEW TO GRAND STORM SEWERS	GRADED SHOULDERS AND CURBS, CLEAN AND REGRADE SWALES, AND INSTALL STORMWATER PUMPING STATIONS AS NEEDED.	2,000,000	FY17	Stormwater	STREET FLOODING ALONG HALL STREET FROM RIVERVIEW TO GRAND.	5130	-	Y	
10070	HALL STREET FROM RIVERVIEW TO GRAND STORM SEWERS	GRADED SHOULDERS AND CURBS, CLEAN AND REGRADE SWALES, AND INSTALL STORMWATER PUMPING STATIONS AS NEEDED.	8,000,000	FY19	Stormwater	STREET FLOODING ALONG HALL STREET FROM RIVERVIEW TO GRAND.	5130	-	Y	
10167	CHARLANE & HILLCHESTER STORM SEWER	CONSTRUCT 900 FEET OF 12-INCH TO 30-INCH DIAMETER STORM SEWER.	240,000	FY18	Stormwater	YARD FLOODING AND YARD SUBSIDENCE DUE TO SINKHOLE AT 1244 CHARLANE COURT.	5566	-	-	G
10172	GRAND & HARRISON STORM IMPROVEMENTS	STORM SEWER, 145 FEET OF 10 FOOT WIDE ROCK LINED TRAPEZOIDAL CHANNEL, AND APPURTENANCES.	420,000	FY18	Stormwater	FLOODING OF RESIDENTIAL AND COMMERCIAL PROPERTIES AND STREET FLOODING.	5130	-	-	G
10172	GRAND & HARRISON STORM IMPROVEMENTS	STORM SEWER, 145 FEET OF 10 FOOT WIDE ROCK LINED TRAPEZOIDAL CHANNEL, AND APPURTENANCES.	1,000,000	FY18	Stormwater	FLOODING OF RESIDENTIAL AND COMMERCIAL PROPERTIES AND STREET FLOODING.	5571	-	-	G
10209	CHERRY TREE LANE STORM IMPROVEMENT	DIAMETER CMP CULVERT, AND 370 FEET OF 4 FOOT WIDE BY 1.5 FOOT HIGH CONCRETE BOX CULVERT.	660,000	FY19	Stormwater	INADEQUATE STORM SEWER SYSTEM	5584	-	-	G
10210	CORONA PARK STORM SEWER PHASE 2B	CONSTRUCT 1,240 FEET OF 12-INCH TO 24-INCH DIAMETER STORM SEWERS.	70,000	FY17	Stormwater	YARD AND STREET FLOODING.	5583	-	-	G
10210	CORONA PARK STORM SEWER PHASE 2B	CONSTRUCT 1,240 FEET OF 12-INCH TO 24-INCH DIAMETER STORM SEWERS.	280,000	FY19	Stormwater	YARD AND STREET FLOODING.	5583	-	-	G
10241	EMERLING - EVANS DRAINAGE IMPROVEMENTS	PROVIDE \$60,000 IN FINANCIAL ASSISTANCE TO THE CITY OF COOL VALLEY TO COMPLETE THE DESIGN OF THIS PROJECT IN ORDER TO BE ELIGIBLE FOR POSSIBLE FUTURE STATE STORMWATER FUNDING.	625,000	FY17	Stormwater	FLOODING OF PROPERTIES ON EVANS AVENUE AND YARD EROSION OF PROPERTIES ON EMERLING.	5130	-	-	G
10282	MAINTENANCE YARD VEHICLE STORAGE BUILDINGS (MINTERT AND GRAND GLAIZE)	CONSTRUCT NEW VEHICLE STORAGE BUILDINGS AT THE GRAND GLAIZE AND MINTERT CONSTRUCTION YARDS.	790,000	FY17	Stormwater	ADDITIONAL SEWER CLEANING VEHICLES ARE BEING ORDERED TO BE STORED AT THESE FACILITIES.	5120	R	-	
10289	LINDEN #1064 STORM SEWER	CONSTRUCT APPROXIMATELY 1,200 FEET OF 12-INCH TO 72-INCH STORM SEWER AND APPURTENANCES.	836,000	FY18	Stormwater	BASEMENT FLOODING IN THE 1000 BLOCKS OF EAST LINDEN AVENUE AND TERRACE DRIVE.	5566	-	-	G
10302	COTTAGE #206 STORM IMPROVEMENTS	CONSTRUCT 600 FEET OF 4-FOOT WIDE TRAPEZOIDAL CHANNEL.	330,000	FY18	Stormwater	CREEK EROSION ALONG EXISTING IMPROVED CHANNEL.	5130	-	-	G
10329	PARK AVENUE STORM IMPROVEMENTS	CURBING AND APPURTENANCES, AND APPROXIMATELY 90 FEET OF 13 FOOT WIDE REINFORCED CONCRETE CHANNEL.	279,000	FY17	Stormwater	STREET AND YARD FLOODING ALONG PARK AVENUE.	5571	-	-	G
10336	SNELSON DRIVE STORM SEWER	DESIGN AND CONSTRUCT APPROXIMATELY 500 FEET OF 12-INCH TO 18-INCH STORM SEWER AND APPURTENANCES.	35,000	FY19	Stormwater	YARD FLOODING AND EROSION.	5120	R	-	
10336	SNELSON DRIVE STORM SEWER	DESIGN AND CONSTRUCT APPROXIMATELY 500 FEET OF 12-INCH TO 18-INCH STORM SEWER AND APPURTENANCES.	100,000	FY21	Stormwater	YARD FLOODING AND EROSION.	5120	R	-	
10347	ROSEWOOD LANE & WOODARD DR. STORM SEWER	CONSTRUCT 1,835 FEET OF 12-INCH TO 33-INCH DIAMETER STORM SEWER AND APPURTENANCES.	660,000	FY18	Stormwater	STREET AND YARD FLOODING AT RESIDENCES ALONG ROSEWOOD LANE AND WOODARD DRIVE.	5583	-	-	G
10350	STONINGTON - GEORGIAN ACRES STORM SEWER	SEWER, 295 FEET OF 8-INCH AND 12-INCH DIP SANITARY SEWER, AND APPURTENANCES, AND 12 RAIN GARDENS.	370,000	FY17	Stormwater	STREET AND YARD FLOODING ALONG GEORGIAN ACRES.	5565	-	-	G
10356	HEMPLINE COURT STORM SEWER	DESIGN AND CONSTRUCT APPROXIMATELY 575 FEET OF 12-INCH TO 18-INCH DIAMETER STORM SEWERS AND APPURTENANCES.	40,000	FY17	Stormwater	POOR YARD DRAINAGE CAUSING FREQUENT FLOODING OF WALK-OUT BASEMENT.	5120	R	-	
10356	HEMPLINE COURT STORM SEWER	DESIGN AND CONSTRUCT APPROXIMATELY 575 FEET OF 12-INCH TO 18-INCH DIAMETER STORM SEWERS AND APPURTENANCES.	120,000	FY19	Stormwater	POOR YARD DRAINAGE CAUSING FREQUENT FLOODING OF WALK-OUT BASEMENT.	5120	R	-	
10359	BUSIEK AVE. #8044 STORM SEWER	CONSTRUCT APPROXIMATELY 285 FEET OF 15-INCH TO 21-INCH STORM SEWER AND APPURTENANCES.	125,000	FY17	Stormwater	YARD PONDING AND EROSION.	5564	-	-	G
10362	FROSTWOOD PARK STREAMBANK STABILIZATION	DESIGN AND CONSTRUCT APPROXIMATELY 65 FEET OF 7-FOOT HIGH HEAVY STONE REVETMENT ON THE NORTH CHANNEL BANK ALONG FROSTWOOD PARK.	90,000	FY17	Stormwater	EROSION IN CHANNEL ADJACENT TO FROSTWOOD PARK.	5564	-	-	G
10366	UNION ROAD 100 BLOCK STORM IMPROVEMENTS	DESIGN AND CONSTRUCT APPROXIMATELY 1,500 FEET OF 12-INCH TO 18-INCH STORM SEWERS AND APPURTENANCES, AND APPROXIMATELY 900 FEET OF CULVERTS.	110,000	FY19	Stormwater	YARD FLOODING AND ROAD PONDING.	5130	-	Y	
10366	UNION ROAD 100 BLOCK STORM IMPROVEMENTS	DESIGN AND CONSTRUCT APPROXIMATELY 1,500 FEET OF 12-INCH TO 18-INCH STORM SEWERS AND APPURTENANCES, AND APPROXIMATELY 900 FEET OF CULVERTS.	320,000	FY21	Stormwater	YARD FLOODING AND ROAD PONDING.	5130	-	Y	
10372	JACOBS OLD COAL ROAD & NOTTINGHAM STORM SEWER	CONSTRUCT 600 FEET OF 12-INCH RCP STORM SEWER.	40,000	FY18	Stormwater	INFREQUENT STRUCTURAL FLOODING FROM OVERLAND FLOW.	5592	-	-	G
10372	JACOBS OLD COAL ROAD & NOTTINGHAM STORM SEWER	CONSTRUCT 600 FEET OF 12-INCH RCP STORM SEWER.	145,000	FY20	Stormwater	INFREQUENT STRUCTURAL FLOODING FROM OVERLAND FLOW.	5592	-	-	G

Stormwater CIRP Project List

Project Number	Long Name	Description	Budget Amount	Financial Year	Project Type Desc	Problem Description	Fund Number	Red Zone	Yellow Zone	Green Zone
10380	BROGAN DALE CIRCLE STORM SEWER	DESIGN AND CONSTRUCT APPROXIMATELY 370 FEET OF 12-INCH TO 36-INCH RCP STORM SEWER AND APPURTENANCES.	70,000	FY17	Stormwater	FLOODING OF THREE STRUCTURES AND RESTRICTION OF EMERGENCY ACCESS.	5120	R	_	
10380	BROGAN DALE CIRCLE STORM SEWER	DESIGN AND CONSTRUCT APPROXIMATELY 370 FEET OF 12-INCH TO 36-INCH RCP STORM SEWER AND APPURTENANCES.	200,000	FY19	Stormwater	FLOODING OF THREE STRUCTURES AND RESTRICTION OF EMERGENCY ACCESS.	5120	R	_	
10383	EARL DRIVE STORM SEWER	CONSTRUCT 650 FEET OF 12-INCH TO 21-INCH RCP STORM SEWER.	210,000	FY18	Stormwater	YARD FLOODING.	5576	_	_	G
10388	MALLARD LANE & PHEASANT DRIVE STORM SEWER	CONSTRUCT 715 FEET OF 12-INCH TO 30-INCH DIAMETER STORM SEWER.	250,000	FY17	Stormwater	YARD AND STRUCTURAL FLOODING.	5564	_	_	G
10391	CARL AVE. & AVIS ST. STORM SEWER	CONSTRUCT APPROXIMATELY 265 FEET OF 12-INCH STORM SEWER AND APPURTENANCES.	30,000	FY19	Stormwater	STRUCTURE AND YARD FLOODING.	5130	_	Y	
10391	CARL AVE. & AVIS ST. STORM SEWER	CONSTRUCT APPROXIMATELY 265 FEET OF 12-INCH STORM SEWER AND APPURTENANCES.	90,000	FY21	Stormwater	STRUCTURE AND YARD FLOODING.	5130	_	Y	
10540	BROWN ROAD TO EMINENCE BLVD. STORM IMPROVEMENTS	CONSTRUCT 1,985 FEET OF 12-INCH TO 30-INCH STORM SEWER.	325,000	FY17	Stormwater	BASEMENT, STREET, AND YARD FLOODING.	5564	_	_	G
10595	FAIRVIEW AVE. #1250 STORM SEWER	CONSTRUCT 825 FEET OF 12-INCH TO 24-INCH RCP STORM SEWERS.	50,000	FY18	Stormwater	LOCALIZED PONDING IN BACKYARD.	5584	_	_	G
10595	FAIRVIEW AVE. #1250 STORM SEWER	CONSTRUCT 825 FEET OF 12-INCH TO 24-INCH RCP STORM SEWERS.	200,000	FY20	Stormwater	LOCALIZED PONDING IN BACKYARD.	5584	_	_	G
11016	ROLAND BLVD STORM SEWER	CONSTRUCT 775 FEET OF 12-INCH TO 42-INCH STORM SEWER.	110,000	FY17	Stormwater	Frequent structural flooding from overland flow (non-floodplain).	5130	_	Y	
11016	ROLAND BLVD STORM SEWER	CONSTRUCT 775 FEET OF 12-INCH TO 42-INCH STORM SEWER.	320,000	FY19	Stormwater	Frequent structural flooding from overland flow (non-floodplain).	5130	_	Y	
11024	HOLDEN AVE TO ETA AVE STORM SEWER	CONSTRUCT 855 FEET OF 15-INCH TO 18-INCH STORM SEWER.	48,000	FY18	Stormwater	Yard flooding.	5574	_	_	G
11024	HOLDEN AVE TO ETA AVE STORM SEWER	CONSTRUCT 855 FEET OF 15-INCH TO 18-INCH STORM SEWER.	192,000	FY20	Stormwater	Yard flooding.	5574	_	_	G
11026	WINCHESTER DRIVE 7120 BANK STABILIZATION	CONSTRUCT 170 FEET OF 6-FOOT TO 9-FOOT HIGH MODULAR BLOCK WALL.	40,000	FY17	Stormwater	Moderate risk structural erosion.	5130	_	Y	
11026	WINCHESTER DRIVE 7120 BANK STABILIZATION	CONSTRUCT 170 FEET OF 6-FOOT TO 9-FOOT HIGH MODULAR BLOCK WALL.	100,000	FY19	Stormwater	Moderate risk structural erosion.	5130	_	Y	
11030	GUENEVERE DR - ROTHERHAM DR STORM SEWER	CONSTRUCT 215 FEET OF 12-INCH STORM SEWER.	15,000	FY20	Stormwater	Yard flooding.	5120	R	_	
11030	GUENEVERE DR - ROTHERHAM DR STORM SEWER	CONSTRUCT 215 FEET OF 12-INCH STORM SEWER.	40,000	FY22	Stormwater	Yard flooding.	5120	R	_	
11033	STONE HILL DR 4701 STORM SEWER	CONSTRUCT 170 FEET OF 15-INCH STORM SEWER.	20,000	FY17	Stormwater	Frequent basement flooding from overland flow.	5120	R	_	
11033	STONE HILL DR 4701 STORM SEWER	CONSTRUCT 170 FEET OF 15-INCH STORM SEWER.	55,000	FY19	Stormwater	Frequent basement flooding from overland flow.	5120	R	_	
11036	EVERMAN-TENNYSON STORM SEWER	CONSTRUCT 670 FEET OF 12-INCH TO 36-INCH STORM SEWER	210,000	FY17	Stormwater	Overland flooding of 2 commercial buildings	5564	_	_	G
11039	STANSBERRY AVE #9262 STORM SEWER	CONSTRUCT 545 FEET OF 12-INCH TO 42-INCH RCP STORM SEWER AND APPURTENANCES.	250,000	FY17	Stormwater	Infrequent structural flooding from overland flow (non-floodplain).	5564	_	_	G
11042	TIEMANN AVE 4600 BLOCK STORM SEWER	CONSTRUCT 770 FEET OF 12-INCH TO 18-INCH STORM SEWER.	70,000	FY19	Stormwater	Frequent structural flooding.	5130	_	Y	
11042	TIEMANN AVE 4600 BLOCK STORM SEWER	CONSTRUCT 770 FEET OF 12-INCH TO 18-INCH STORM SEWER.	190,000	FY21	Stormwater	Frequent structural flooding.	5130	_	Y	
11046	WOODLAKE VILLAGE 1009 BANK STABILIZATION	CONSTRUCT 300 FEET OF BANK STABILIZATION.	30,000	FY18	Stormwater	Creek bank erosion.	5120	R	_	
11046	WOODLAKE VILLAGE 1009 BANK STABILIZATION	CONSTRUCT 300 FEET OF BANK STABILIZATION.	80,000	FY20	Stormwater	Creek bank erosion.	5120	R	_	
11059	SENECA PRIVATE I/I REDUCTION	CONSTRUCT 5,700 FEET OF 12-INCH TO 24-INCH STORM SEWER AND REMOVE PRIVATE SOURCES OF INFLOW AND INFILTRATION FROM 156 PROPERTIES.	3,500,000	FY17	Wastewater	CAUSING BUILDING BACKUPS AND OVERCHARGED SANITARY SEWERS.	5584	_	_	G
11069	ROCK HILL SANITARY RELIEF (SKME-618)	REMOVE PRIVATE I/I SOURCES FROM SANITARY SEWERS.	100,000	FY17	Wastewater	SANITARY SEWER OVERFLOWS AND BUILDING BACKUPS.	5566	_	_	G
11078	ST. EDMUND #10728 - 10732 STORM SEWER	CONSTRUCT 275 FEET OF 15-INCH TO 21-INCH RCP STORM SEWER.	80,000	FY17	Stormwater	Yard and garage flooding.	5564	_	_	G
11080	THORNHILL DR #13333 BANK STABILIZATION	Construct heavy stone revetment and geotextile fabric bank stabilization on south/west side of creek.	30,000	FY18	Stormwater	Creek bank erosion.	5120	R	_	

Stormwater CIRP Project List

Project Number	Long Name	Description	Budget Amount	Financial Year	Project Type Desc	Problem Description	Fund Number	Red Zone	Yellow Zone	Green Zone
11080	THORNHILL DR #13333 BANK STABILIZATION	Construct heavy stone revetment and geotextile fabric bank stabilization on south/west side of creek.	80,000	FY20	Stormwater	Creek bank erosion.	5120	R	_	
11093	NORINE CT. #23 STORM SEWER	CONSTRUCT 135 FEET OF 18-INCH STORM SEWER, ONE BIORETENTION FACILITY AND APPURTENANCES.	110,000	FY17	Stormwater	Yard flooding.	5130	_		G
11119	ROGERS LANE #975 STORM SEWER	CONSTRUCT 180 FEET OF 12-INCH TO 15-INCH STORM SEWER.	40,000	FY17	Stormwater	FLOODING OF SIDE AND REAR YARD.	5564	_	_	G
11159	FOX RUN DRIVE #1360 STORM SEWER	CONSTRUCT 85 FEET OF 15-INCH STORM SEWER.	50,000	FY17	Stormwater	REAR YARD PONDING.	5564	_	_	G
11160	EDGEHILL DRIVE #1021 - 1029 STORM SEWER	CONSTRUCT 40 FEET OF DRAINAGE SWALE AND 345 FEET OF 12-INCH STORM SEWER.	80,000	FY18	Stormwater	YARD AND STRUCTURE FLOODING.	5576	_	_	G
11171	MEAUX MART - GRAY STORM CHANNEL	CONSTRUCT 310 FEET OF 6 FOOT HIGH MODULAR BLOCK WALL, AND GRADE CONTROLS.	140,000	FY19	Stormwater	STREAMBANK EROSION.	5566	_	_	G
11174	ORCHARD - MASON - JOY STORM SEWER	CONSTRUCT 2,250 FEET OF 12-INCH TO 42-INCH STORM SEWER and 50 feet of 4' x 3' RCBC.	960,000	FY19	Stormwater	DAMAGE TO PROPERTY DUE TO FLOODING FROM INADEQUATE STORM SEWER.	5130	_		G
11182	BERKRIDGE DRIVE AND FROST AVENUE PHASE III STORM SEWER	CONSTRUCT 1,225 FEET OF 12-INCH TO 24-INCH STORM SEWER AND 565 FEET OF 7 X 3 REINFORCED CONCRETE BOX.	640,000	FY17	Stormwater	MISCELLANEOUS STRUCTURE FLOODING, YARD FLOODING, AND STREET FLOODING.	5130	_		G
11183	WILLIAMS BLVD - ANISTASIA DR. STORM SEWER	CONSTRUCT 1,050 FEET OF 12-INCH TO 24-INCH STORM SEWER AND APPURTENANCES.	190,000	FY17	Stormwater	YARD FLOODING.	5564	_	_	G
11196	PICARDY LANE SUBDIVISION BANK STABILIZATION	CONSTRUCT 260 FEET OF 9-FOOT HIGH ROCK BLOCK WALL, 150 FEET OF ROCK TOE PROTECTION AND TWO GRADE CONTROL STRUCTURES.	297,000	FY17	Stormwater	CREEK EROSION.	5566	_	_	G
11222	TEALWOOD DRIVE AND BEAVER DRIVE BANK STABILIZATION	CONSTRUCT 290 FEET OF ROCK BLOCK WALL, 170 FEET OF MODULAR BLOCK WALL, AND 55 FEET OF HEAVY STONE REVETMENT.	357,000	FY17	Stormwater	HIGH RISK STRUCTURAL EROSION.	5566	_	_	G
11224	TIMBER TRAIL - BRIAR RIDGE CHANNEL IMPROVEMENTS	CONSTRUCT 130 FEET OF MODULAR BLOCK WALL, 100 FEET OF ROCK BLOCK WALL, AND 140 FEET OF COMBINATION SLOPE PROTECTION.	249,000	FY19	Stormwater	MODERATE RISK STRUCTURAL EROSION.	5566	_	_	G
11239	STEEPLECHASE STORM SEWER IMPROVEMENTS (FRONTENAC 3-3)	CONSTRUCT 900 FEET OF 12-INCH TO 21-INCH STORM SEWER, ONE BIORETENTION CELL, AND APPURTENANCES.	215,000	FY19	Stormwater	STRUCTURAL FLOODING.	5566	_	_	G
11251	DOANE DRIVE #1719 STORM SEWER	CONSTRUCT 290 FEET OF DRAINAGE SWALE, 290 FEET OF CONCRETE BLOCK WALL, AND 20 FEET OF 18-INCH STORM SEWER.	130,000	FY18	Stormwater	FREQUENT BASEMENT FLOODING.	5576	_	_	G
11263	OAKSHIRE LN. TO GEYER RD. STORM SEWER	CONSTRUCT 1,940 FEET OF 12-INCH TO 27-INCH STORM SEWER.	160,000	FY20	Stormwater	YARD FLOODING.	5130	_	Y	
11263	OAKSHIRE LN. TO GEYER RD. STORM SEWER	CONSTRUCT 1,940 FEET OF 12-INCH TO 27-INCH STORM SEWER.	480,000	FY22	Stormwater	YARD FLOODING.	5130	_	Y	
11266	HOLDEN AND LONGWOOD STORM SEWER	CONSTRUCT 490 FEET OF 12-INCH TO 21-INCH RCP STORM SEWER .	36,000	FY18	Stormwater	BASEMENT AND STREET FLOODING DUE TO INADEQUATE ROADWAY DRAINAGE.	5574	_	_	G
11266	HOLDEN AND LONGWOOD STORM SEWER	CONSTRUCT 490 FEET OF 12-INCH TO 21-INCH RCP STORM SEWER .	132,000	FY20	Stormwater	BASEMENT AND STREET FLOODING DUE TO INADEQUATE ROADWAY DRAINAGE.	5574	_	_	G
11274	ABSTON AND AIRPORT STORM SEWER	CONSTRUCT 1,050 FEET OF 12-INCH TO 36-INCH STORM SEWER .	215,000	FY18	Stormwater	YARD FLOODING.	5576	_	_	G
11285	STANWOOD DR. AND BELWOOD DR. STORM SEWER	CONSTRUCT 2,765 LF OF 12 INCH TO 30 INCH RCP STORM SEWER .	210,000	FY19	Stormwater	BASEMENT AND STREET FLOODING.	5130	_	Y	
11285	STANWOOD DR. AND BELWOOD DR. STORM SEWER	CONSTRUCT 2,765 LF OF 12 INCH TO 30 INCH RCP STORM SEWER .	620,000	FY21	Stormwater	BASEMENT AND STREET FLOODING.	5130	_	Y	
11290	MARKDALE DR. #8571 AND 8575 STORM SEWER	CONSTRUCT 220 FEET OF 12-INCH STORM SEWER.	90,000	FY18	Stormwater	BASEMENT FLOODING.	5576	_	_	G
11299	DICKENS AVENUE #470 STORM SEWER	CONSTRUCT 100 FEET OF 15-INCH RCP STORM SEWERS .	6,200	FY17	Stormwater	YARD FLOODING.	5583	_	_	G
11299	DICKENS AVENUE #470 STORM SEWER	CONSTRUCT 100 FEET OF 15-INCH RCP STORM SEWERS .	24,000	FY19	Stormwater	YARD FLOODING.	5583	_	_	G
11303	IVELAND DR. #9832 STORM SEWER	CONSTRUCT 110 FEET OF 12-INCH STORM SEWER.	25,000	FY19	Stormwater	YARD RUNOFF AND PONDING.	5584	_	_	G
11304	LACKLAND RD. - UCEYLE AVE. STORM SEWER	CONSTRUCT 760 FEET OF 12-INCH TO 30-INCH RCP STORM SEWER .	130,000	FY19	Stormwater	BASEMENT FLOODING AT 1900 KORANDO DUE TO INADEQUATE STORM SEWER SYSTEM.	5584	_	_	G
11306	LIBERTY AVE. 10000 BLOCK STORM SEWER	CONSTRUCT 820 FEET OF 12-INCH TO 24-INCH STORM SEWER.	220,000	FY19	Stormwater	INADEQUATE ROAD DRAINAGE AND INADEQUATE PARKING LOT DRAINAGE.	5584	_	_	G
11318	DELMONT AVE. #7628 STORM SEWER	CONSTRUCT 390 FEET OF 15-INCH RCP STORM SEWER.	50,000	FY19	Stormwater	YARD FLOODING.	5130	_	Y	
11318	DELMONT AVE. #7628 STORM SEWER	CONSTRUCT 390 FEET OF 15-INCH RCP STORM SEWER.	140,000	FY21	Stormwater	YARD FLOODING.	5130	_	Y	

Stormwater CIRP Project List

Project Number	Long Name	Description	Budget Amount	Financial Year	Project Type Desc	Problem Description	Fund Number	Red Zone	Yellow Zone	Green Zone
11331	MONROE WEST AVENUE BANK STABILIZATION	CONSTRUCT 175 FEET OF ROCK BLOCK TOE ALONG SOUTH STREAMBANK, AND INSTALL 170 SY OF BIOSTABILIZATION.	11,000	FY17	Stormwater	CREEK BANK EROSION.	5583	-	-	G
11331	MONROE WEST AVENUE BANK STABILIZATION	CONSTRUCT 175 FEET OF ROCK BLOCK TOE ALONG SOUTH STREAMBANK, AND INSTALL 170 SY OF BIOSTABILIZATION.	44,000	FY19	Stormwater	CREEK BANK EROSION.	5583	-	-	G
11338	RALEIGH DRIVE #8829 STORM SEWER	CONSTRUCT 670 FEET OF 30-INCH DIAMETER STORM SEWERS .	230,000	FY17	Stormwater	BASEMENT AND YARD FLOODING CAUSED BY OVERCHARGED STORM LINE.	5571	-	-	G
11350	WHITEHAVEN AND RALEIGH STORM SEWER	CONSTRUCT 305 FEET OF 12-INCH TO 24-INCH DIAMETER STORM SEWER AND APPURTENANCES.	169,000	FY17	Stormwater	DAMAGE TO PROPERTY DUE TO FLOODING.	5571	-	-	G
11360	REDLAND DR. - TAHQUITZ DR. STORM SEWER	CONSTRUCT 415 FEET OF 15-INCH TO 15-INCH RCP STORM SEWER.	48,000	FY17	Stormwater	YARD FLOODING.	5571	-	-	G
11362	WINTERGREEN 3503 AND 3507 STORM SEWER	CONSTRUCT 115 FEET OF 12-INCH RCP STORM SEWER.	50,000	FY17	Stormwater	YARD FLOODING.	5571	-	-	G
11364	ALTHEA - ASTER STORM SEWER	CONSTRUCT 1,090 FEET OF 12-INCH TO 24-INCH RCP STORM SEWER.	390,000	FY17	Stormwater	STRUCTURE AND YARD FLOODING.	5130	-	-	G
11369	PARDELLA AVE. #712 STORM SEWER	CONSTRUCT 590 FEET OF 15-INCH TO 21-INCH STORM SEWER.	50,000	FY17	Stormwater	YARD FLOODING AND PONDING.	5130	-	Y	
11369	PARDELLA AVE. #712 STORM SEWER	CONSTRUCT 590 FEET OF 15-INCH TO 21-INCH STORM SEWER.	140,000	FY19	Stormwater	YARD FLOODING AND PONDING.	5130	-	Y	
11389	NOTTINGHAM - MAYFAIR STORM SEWER	CONSTRUCT 345 FEET OF 12-INCH TO 15-INCH STORM SEWER .	20,000	FY19	Stormwater	YARD FLOODING.	5120	R	-	
11389	NOTTINGHAM - MAYFAIR STORM SEWER	CONSTRUCT 345 FEET OF 12-INCH TO 15-INCH STORM SEWER .	60,000	FY21	Stormwater	YARD FLOODING.	5120	R	-	
11391	CHANDELLAY DRIVE STORM SEWER	CONSTRUCT 280 FEET OF 12-INCH RCP STORM SEWER .	20,000	FY19	Stormwater	YARD FLOODING.	5120	R	-	
11391	CHANDELLAY DRIVE STORM SEWER	CONSTRUCT 280 FEET OF 12-INCH RCP STORM SEWER .	50,000	FY21	Stormwater	YARD FLOODING.	5120	R	-	
11392	BARKMAN STORM SEWER IMPROVEMENTS	CONSTRUCT 200 FEET OF 12-INCH DIAMETER STORM SEWERS .	15,000	FY18	Stormwater	MINOR STREET AND YARD FLOODING AND EROSION.	5120	R	-	
11392	BARKMAN STORM SEWER IMPROVEMENTS	CONSTRUCT 200 FEET OF 12-INCH DIAMETER STORM SEWERS .	40,000	FY20	Stormwater	MINOR STREET AND YARD FLOODING AND EROSION.	5120	R	-	
11395	SUMMERHAVEN DRIVE #11656 STORM SEWER	CONSTRUCT 440 FEET OF 12-INCH TO 18-INCH STORM SEWER .	25,000	FY18	Stormwater	YARD FLOODING.	5120	R	-	
11395	SUMMERHAVEN DRIVE #11656 STORM SEWER	CONSTRUCT 440 FEET OF 12-INCH TO 18-INCH STORM SEWER .	75,000	FY20	Stormwater	YARD FLOODING.	5120	R	-	
11396	WEATHERBY DRIVE STORM SEWER	CONSTRUCT 570 FEET OF 12-INCH STORM SEWERS .	30,000	FY20	Stormwater	FLOODING/EROSION AT 1401,1407, AND 1415 WEATHERBY, AND 1101 CRIMSON.	5120	R	-	
11396	WEATHERBY DRIVE STORM SEWER	CONSTRUCT 570 FEET OF 12-INCH STORM SEWERS .	85,000	FY22	Stormwater	FLOODING/EROSION AT 1401,1407, AND 1415 WEATHERBY, AND 1101 CRIMSON.	5120	R	-	
11397	LADUE FARM RAOD #125 STORM SEWER	CONSTRUCT 370 FEET OF 12-INCH TO 15-INCH STORM SEWER .	25,000	FY18	Stormwater	YARD FLOODING AND EROSION.	5120	R	-	
11397	LADUE FARM RAOD #125 STORM SEWER	CONSTRUCT 370 FEET OF 12-INCH TO 15-INCH STORM SEWER .	65,000	FY20	Stormwater	YARD FLOODING AND EROSION.	5120	R	-	
11407	TINA TERRACE DRIVE STORM SEWER	CONSTRUCT 270 FEET OF 12-INCH STORM SEWER .	15,000	FY18	Stormwater	YARD FLOODING.	5120	R	-	
11407	TINA TERRACE DRIVE STORM SEWER	CONSTRUCT 270 FEET OF 12-INCH STORM SEWER .	45,000	FY20	Stormwater	YARD FLOODING.	5120	R	-	
11408	BROADHEAD #921 STORM SEWER	CONSTRUCT 235 FEET OF 30-INCH STORM SEWER .	30,000	FY20	Stormwater	CHANNEL EROSION AT END OF 30-INCH CMP.	5130	-	Y	
11408	BROADHEAD #921 STORM SEWER	CONSTRUCT 235 FEET OF 30-INCH STORM SEWER .	90,000	FY22	Stormwater	CHANNEL EROSION AT END OF 30-INCH CMP.	5130	-	Y	
11409	PAISLEY-ROSLYN-GAYLORD STORM SEWER	CONSTRUCT 105 FEET OF 21-INCH, 675 FEET OF 18-INCH, AND 200 FEET OF 15-INCH STORM SEWER, .	60,000	FY18	Stormwater	7001 PAISLEY DURING MODERATE AND HEAVY RAIN EVENTS.	5130	-	Y	
11409	PAISLEY-ROSLYN-GAYLORD STORM SEWER	CONSTRUCT 105 FEET OF 21-INCH, 675 FEET OF 18-INCH, AND 200 FEET OF 15-INCH STORM SEWER, .	180,000	FY20	Stormwater	7001 PAISLEY DURING MODERATE AND HEAVY RAIN EVENTS.	5130	-	Y	
11416	BOXFORD COURT BANK STABILIZATION	CONSTRUCT 260 FEET OF 10-FOOT HIGH HEAVY STONE REVETMENT STABILIZATION.	45,000	FY19	Stormwater	CREEK EROSION THREATENING STRUCTURES.	5120	R	-	
11416	BOXFORD COURT BANK STABILIZATION	CONSTRUCT 260 FEET OF 10-FOOT HIGH HEAVY STONE REVETMENT STABILIZATION.	130,000	FY21	Stormwater	CREEK EROSION THREATENING STRUCTURES.	5120	R	-	

Stormwater CIRP Project List

Project Number	Long Name	Description	Budget Amount	Financial Year	Project Type Desc	Problem Description	Fund Number	Red Zone	Yellow Zone	Green Zone
11418	DRURY - SWITZER STORM SEWER	CONSTRUCT 550 FEET OF 12-INCH TO 15-INCH DIAMETER STORM SEWER .	35,000	FY19	Stormwater	YARD EROSION AND FLOODING, AND OVERLAND FLOODING OF HOMES.	5130	-	Y	
11418	DRURY - SWITZER STORM SEWER	CONSTRUCT 550 FEET OF 12-INCH TO 15-INCH DIAMETER STORM SEWER .	100,000	FY21	Stormwater	YARD EROSION AND FLOODING, AND OVERLAND FLOODING OF HOMES.	5130	-	Y	
11419	LALITE #6145 - 6151 STORM IMPROVEMENTS	CONSTRUCT 535 FEET OF 12-INCH TO 15-INCH STORM SEWER.	50,000	FY18	Stormwater	OVERLAND YARD AND STRUCTURE FLOODING.	5130	-	Y	
11419	LALITE #6145 - 6151 STORM IMPROVEMENTS	CONSTRUCT 535 FEET OF 12-INCH TO 15-INCH STORM SEWER.	130,000	FY20	Stormwater	OVERLAND YARD AND STRUCTURE FLOODING.	5130	-	Y	
11420	SAXONHALL DRIVE #10965 STORM SEWER	CONSTRUCT 114 FEET OF 12-INCH TO 18-INCH STORM SEWER .	15,000	FY17	Stormwater	STRUCTURE FLOODING DUE TO INADEQUATE STORM SEWER.	5120	R	-	
11420	SAXONHALL DRIVE #10965 STORM SEWER	CONSTRUCT 114 FEET OF 12-INCH TO 18-INCH STORM SEWER .	35,000	FY19	Stormwater	STRUCTURE FLOODING DUE TO INADEQUATE STORM SEWER.	5120	R	-	
11424	SCOTT AVE #1213 STORM SEWER	CONSTRUCT 245 FEET OF 12-INCH RCP STORM SEWER .	20,000	FY18	Stormwater	PONDING IN YARD	5120		-	G
11424	SCOTT AVE #1213 STORM SEWER	CONSTRUCT 245 FEET OF 12-INCH RCP STORM SEWER .	50,000	FY20	Stormwater	PONDING IN YARD	5120		-	G
11426	GLENN DRIVE #128 STORM SEWER	CONSTRUCT 600 FEET OF 12-INCH TO 30-INCH RCP STORM SEWER .	45,000	FY18	Stormwater	STRUCTURE AND YARD FLOODING.	5120	R	-	
11426	GLENN DRIVE #128 STORM SEWER	CONSTRUCT 600 FEET OF 12-INCH TO 30-INCH RCP STORM SEWER .	135,000	FY20	Stormwater	STRUCTURE AND YARD FLOODING.	5120	R	-	
11428	HELTA DRIVE 11800 STORM SEWER	CONSTRUCT 105 FEET OF 18-INCH STORM SEWER , AND INSTALL CIPP IN 190 FEET OF 18-INCH PIPE.	20,000	FY19	Stormwater	WITH FREQUENT CAVE INS ALONG SHALLOW PIPE, AND YARD EROSION.	5120	R	-	
11428	HELTA DRIVE 11800 STORM SEWER	CONSTRUCT 105 FEET OF 18-INCH STORM SEWER , AND INSTALL CIPP IN 190 FEET OF 18-INCH PIPE.	50,000	FY21	Stormwater	WITH FREQUENT CAVE INS ALONG SHALLOW PIPE, AND YARD EROSION.	5120	R	-	
11430	WILBORN DRIVE #5361 STORM SEWER	CONSTRUCT 160 FEET OF 12-INCH RCP STORM SEWER .	15,000	FY19	Stormwater	YARD FLOODING AT 5361 WILSON.	5130	-	Y	
11430	WILBORN DRIVE #5361 STORM SEWER	CONSTRUCT 160 FEET OF 12-INCH RCP STORM SEWER .	40,000	FY21	Stormwater	YARD FLOODING AT 5361 WILSON.	5130	-	Y	
11431	MUELLER COURT STORM SEWER	CONSTRUCT 550 FEET OF 12-INCH TO 18-INCH RCP STORM SEWER .	35,000	FY20	Stormwater	YARD FLOODING AND EROSION.	5130	-	Y	
11431	MUELLER COURT STORM SEWER	CONSTRUCT 550 FEET OF 12-INCH TO 18-INCH RCP STORM SEWER .	100,000	FY22	Stormwater	YARD FLOODING AND EROSION.	5130	-	Y	
11432	LARKWOOD - JAYWOOD - SPARROWWOOD BANK STABILIZATION (CRE-07)	CONSTRUCT 385 FEET OF 14 FOOT HIGH MODULAR BLOCK WALL AND 70 FEET OF 16 FOOT HIGH MODULAR BLOCK WALL.	150,000	FY19	Stormwater	JAYWOOD, AND BEHIND HYANNIS DR. BETWEEN ROSS AVE. AND HYANNIS DR.	5120	R	-	
11432	LARKWOOD - JAYWOOD - SPARROWWOOD BANK STABILIZATION (CRE-07)	CONSTRUCT 385 FEET OF 14 FOOT HIGH MODULAR BLOCK WALL AND 70 FEET OF 16 FOOT HIGH MODULAR BLOCK WALL.	450,000	FY21	Stormwater	JAYWOOD, AND BEHIND HYANNIS DR. BETWEEN ROSS AVE. AND HYANNIS DR.	5120	R	-	
11433	WACHTEL AVENUE 1200 BLOCK STORM SEWER	CONSTRUCT 390 FEET OF 12-INCH TO 24-INCH STORM SEWER .	35,000	FY20	Stormwater	YARD FLOODING DUE TO INADEQUATE ROADWAY DRAINAGE.	5130	-	Y	
11433	WACHTEL AVENUE 1200 BLOCK STORM SEWER	CONSTRUCT 390 FEET OF 12-INCH TO 24-INCH STORM SEWER .	100,000	FY22	Stormwater	YARD FLOODING DUE TO INADEQUATE ROADWAY DRAINAGE.	5130	-	Y	
11438	KENNEY DR.- BOUNDARY RD. STORM SEWER	CONSTRUCT 435 FEET OF 12-INCH TO 18-INCH RCP STORM SEWER .	30,000	FY20	Stormwater	YARD FLOODING AND EROSION.	5120	R	-	
11438	KENNEY DR.- BOUNDARY RD. STORM SEWER	CONSTRUCT 435 FEET OF 12-INCH TO 18-INCH RCP STORM SEWER .	80,000	FY22	Stormwater	YARD FLOODING AND EROSION.	5120	R	-	
11442	STANWOOD DRIVE BANK STABILIZATION	CONSTRUCT 175 FEET OF 10 TO 14 FOOT HIGH MODULAR BLOCK WALL .	60,000	FY19	Stormwater	CHANNEL EROSION.	5130	-	Y	
11442	STANWOOD DRIVE BANK STABILIZATION	CONSTRUCT 175 FEET OF 10 TO 14 FOOT HIGH MODULAR BLOCK WALL .	160,000	FY21	Stormwater	CHANNEL EROSION.	5130	-	Y	
11445	ROANNA LANE #10620 STORM IMPROVEMENTS	CONSTRUCT 120 FEET OF 15-INCH STORM SEWER .	15,000	FY18	Stormwater	STRUCTURAL FLOODING AT 10620 ROANNA LANE.	5120	R	-	
11445	ROANNA LANE #10620 STORM IMPROVEMENTS	CONSTRUCT 120 FEET OF 15-INCH STORM SEWER .	45,000	FY20	Stormwater	STRUCTURAL FLOODING AT 10620 ROANNA LANE.	5120	R	-	
11447	DIPLOMAT LANE OUTFALL STABILIZATION	RECONSTRUCT OUTFALL PIPE, STABILIZE STREAM BANK, AND PERFORM PREVENTATIVE CHANNEL IMPROVEMENTS.	85,000	FY18	Stormwater	BANK FAILURES/EROSION AT OUTFALL.	5120	R	-	
11447	DIPLOMAT LANE OUTFALL STABILIZATION	RECONSTRUCT OUTFALL PIPE, STABILIZE STREAM BANK, AND PERFORM PREVENTATIVE CHANNEL IMPROVEMENTS.	250,000	FY20	Stormwater	BANK FAILURES/EROSION AT OUTFALL.	5120	R	-	
11450	MIRIAM AND BURNS STORM SEWER	CONSTRUCT 455 FEET OF 12-INCH TO 15-INCH DIAMETER STORM SEWER AND APPURTENANCES.	105,000	FY19	Stormwater	YARD AND STRUCTURE FLOODING.	5584	-	-	G

Stormwater CIRP Project List

Project Number	Long Name	Description	Budget Amount	Financial Year	Project Type Desc	Problem Description	Fund Number	Red Zone	Yellow Zone	Green Zone
11474	GLEASON #656 STORM SEWER	CONSTRUCT 260 FEET OF 15-INCH RCP STORM SEWER .	20,000	FY19	Stormwater	YARD FLOODING.	5130	-	Y	
11474	GLEASON #656 STORM SEWER	CONSTRUCT 260 FEET OF 15-INCH RCP STORM SEWER .	60,000	FY21	Stormwater	YARD FLOODING.	5130	-	Y	
11476	KENWOOD - JUNE CREEK BANK STABILIZATION	CONSTRUCT 35 FEET OF 36-INCH DIAMTER STORM SEWER, AND 1,315 FEET OF MODULAR BLOCK WALL AND BANK STABILIZATION.	240,000	FY17	Stormwater	MODERATE RISK STRUCTURAL EROSION ALONG A TRIBUTARY TO BADEN CREEK.	5130	-	Y	
11476	KENWOOD - JUNE CREEK BANK STABILIZATION	CONSTRUCT 35 FEET OF 36-INCH DIAMTER STORM SEWER, AND 1,315 FEET OF MODULAR BLOCK WALL AND BANK STABILIZATION.	720,000	FY19	Stormwater	MODERATE RISK STRUCTURAL EROSION ALONG A TRIBUTARY TO BADEN CREEK.	5130	-	Y	
11477	WISE AND WEST PARK STORM IMPROVEMENT	CONSTRUCT 290 FEET OF 12-INCH TO 18-INCH DIAMETER STORM SEWERS.	35,000	FY18	Stormwater	YARD PONDING AND STREET FLOODING.	5130	-	Y	
11477	WISE AND WEST PARK STORM IMPROVEMENT	CONSTRUCT 290 FEET OF 12-INCH TO 18-INCH DIAMETER STORM SEWERS.	100,000	FY20	Stormwater	YARD PONDING AND STREET FLOODING.	5130	-	Y	
11481	MARTIGNEY CREEK STREAMBANK STABILIZATION - FAIRWICK AND GOLDEN VALLEY BANK STABILIZATION (MGMB-150)	CONSTRUCT 850 FEET OF STREAMBANK PROTECTION.	205,000	FY20	Stormwater	HIGH RISK EROSION TO EIGHT MISCELLANEOUS STRUCTURES.	5120	R	-	
11481	MARTIGNEY CREEK STREAMBANK STABILIZATION - FAIRWICK AND GOLDEN VALLEY BANK STABILIZATION (MGMB-150)	CONSTRUCT 850 FEET OF STREAMBANK PROTECTION.	610,000	FY23	Stormwater	HIGH RISK EROSION TO EIGHT MISCELLANEOUS STRUCTURES.	5120	R	-	
11482	SAN BERNADINO AVENUE STORM SEWER	CONSTRUCT 275 FEET OF 12-INCH DIAMETER STORM SEWER , INCLUDING CURBING.	15,000	FY19	Stormwater	YARD FLOODING AND EROSION.	5130	-	Y	
11482	SAN BERNADINO AVENUE STORM SEWER	CONSTRUCT 275 FEET OF 12-INCH DIAMETER STORM SEWER , INCLUDING CURBING.	45,000	FY21	Stormwater	YARD FLOODING AND EROSION.	5130	-	Y	
11487	REMINGTON OAKS - SAN LUIS STORM SEWER	CONSTRUCT 160 FEET OF 12-INCH STORM SEWER .	15,000	FY18	Stormwater	YARD EROSION AND RUNOFF.	5120	R	-	
11487	REMINGTON OAKS - SAN LUIS STORM SEWER	CONSTRUCT 160 FEET OF 12-INCH STORM SEWER .	35,000	FY20	Stormwater	YARD EROSION AND RUNOFF.	5120	R	-	
11488	MAR ANN CT. #9819 STORM IMPROVEMENT	CONSTRUCT 410 FEET OF 21-INCH STORM SEWER .	30,000	FY18	Stormwater	YARD FLOODING AND INFREQUENT BASEMENT FLOODING.	5120	R	-	
11488	MAR ANN CT. #9819 STORM IMPROVEMENT	CONSTRUCT 410 FEET OF 21-INCH STORM SEWER .	85,000	FY20	Stormwater	YARD FLOODING AND INFREQUENT BASEMENT FLOODING.	5120	R	-	
11489	MARMONT COURT#339 STORM SEWER	CONSTRUCT 133 FEET OF 12-INCH STORM SEWER .	10,000	FY18	Stormwater	EROSION.	5120	R	-	
11489	MARMONT COURT#339 STORM SEWER	CONSTRUCT 133 FEET OF 12-INCH STORM SEWER .	25,000	FY20	Stormwater	EROSION.	5120	R	-	
11492	BOOTHBAY CT. #12301-12302 STORM SEWER	CONSTRUCT 95 FEET OF 21-INCH STORM SEWER .	10,000	FY18	Stormwater	INADEQUATE STORM SEWERS ARE CAUSING STREET FLOODING AND EROSION.	5120	R	-	
11492	BOOTHBAY CT. #12301-12302 STORM SEWER	CONSTRUCT 95 FEET OF 21-INCH STORM SEWER .	25,000	FY20	Stormwater	INADEQUATE STORM SEWERS ARE CAUSING STREET FLOODING AND EROSION.	5120	R	-	
11494	BARTOLET TO PAULE AVE. STORM SEWER REPLACEMENT	CONSTRUCT 1,000 FEET OF 36-INCH STORM SEWER, REPLACING 15-INCH TO 24-INCH SEWERS.	130,000	FY20	Stormwater	GARAGE FLOODING, AND STREET FLOODING ALONG PAULE.	5130	-	Y	
11494	BARTOLET TO PAULE AVE. STORM SEWER REPLACEMENT	CONSTRUCT 1,000 FEET OF 36-INCH STORM SEWER, REPLACING 15-INCH TO 24-INCH SEWERS.	380,000	FY22	Stormwater	GARAGE FLOODING, AND STREET FLOODING ALONG PAULE.	5130	-	Y	
11496	BELLINGTON LANE #149 STORM SEWER	CONSTRUCT 300 FEET OF 42-INCH RCP STORM SEWERS .	35,000	FY18	Stormwater	EROSION ALONG DRAINAGE CHANNEL.	5120	R	-	
11496	BELLINGTON LANE #149 STORM SEWER	CONSTRUCT 300 FEET OF 42-INCH RCP STORM SEWERS .	105,000	FY20	Stormwater	EROSION ALONG DRAINAGE CHANNEL.	5120	R	-	
11501	BELDON DRIVE STORM SEWER	CONSTRUCT SEPARATE STORM SYSTEM FROM GRATED INLET AT 5712 BELDON TO END OF CUL-DE-SAC, AND DOWNSTREAM TO CONNECT TO EXISTING STORM SYSTEM.	60,000	FY18	Stormwater	YARD FLOODING DUE TO INADEQUATE STORM SEWER/COMBINED SEWER SYSTEM.	5130	-	Y	
11501	BELDON DRIVE STORM SEWER	CONSTRUCT SEPARATE STORM SYSTEM FROM GRATED INLET AT 5712 BELDON TO END OF CUL-DE-SAC, AND DOWNSTREAM TO CONNECT TO EXISTING STORM SYSTEM.	170,000	FY20	Stormwater	YARD FLOODING DUE TO INADEQUATE STORM SEWER/COMBINED SEWER SYSTEM.	5130	-	Y	
11503	MAIN STREET 2500 BLOCK STORM SEWER	CONSTRUCT 280 FEET OF 15-INCH TO 21-INCH RCP STORM SEWER .	20,000	FY20	Stormwater	YARD FLOODING.	5130	-	Y	
11503	MAIN STREET 2500 BLOCK STORM SEWER	CONSTRUCT 280 FEET OF 15-INCH TO 21-INCH RCP STORM SEWER .	60,000	FY22	Stormwater	YARD FLOODING.	5130	-	Y	
11506	RAFORD CT. STORM SEWER SEPARATION	CONSTRUCT 370 FEET OF 18-INCH RCP TO SEPARATE THE STORM AND SANITARY SYSTEMS.	40,000	FY19	Wastewater	SEWER AND CAUSES WBU'S IN SEVERAL DUPLEX BUILDINGS.	5130	-	Y	
11506	RAFORD CT. STORM SEWER SEPARATION	CONSTRUCT 370 FEET OF 18-INCH RCP TO SEPARATE THE STORM AND SANITARY SYSTEMS.	110,000	FY21	Wastewater	SEWER AND CAUSES WBU'S IN SEVERAL DUPLEX BUILDINGS.	5130	-	Y	
11507	MINNIE AVE. TO GREEN HAVEN STORM SEWER	CONSTRUCT 390 FEET OF 12 INCH TO 18 INCH DIAMETER STORM SEWER FROM MINNIE AVE TO GREEN HAVEN DR.	40,000	FY20	Stormwater	STREET PONDING IN FRONT OF 7033 MINNIE AVENUE.	5130	-	Y	

Stormwater CIRP Project List

Project Number	Long Name	Description	Budget Amount	Financial Year	Project Type Desc	Problem Description	Fund Number	Red Zone	Yellow Zone	Green Zone
11507	MINNIE AVE. TO GREEN HAVEN STORM SEWER	CONSTRUCT 390 FEET OF 12 INCH TO 18 INCH DIAMETER STORM SEWER FROM MINNIE AVE TO GREEN HAVEN DR.	110,000	FY22	Stormwater	STREET PONDING IN FRONT OF 7033 MINNIE AVENUE.	5130	-	Y	
11509	CLIFF DRIVE #61 STORM SEWER	CONSTRUCT 275 LF OF 15-INCH TO 18-INCH RCP STORM SEWER .	20,000	FY18	Stormwater	GARAGE AND YARD FLOODING DUE TO OVERLAND FLOW.	5120	R	-	
11509	CLIFF DRIVE #61 STORM SEWER	CONSTRUCT 275 LF OF 15-INCH TO 18-INCH RCP STORM SEWER .	60,000	FY20	Stormwater	GARAGE AND YARD FLOODING DUE TO OVERLAND FLOW.	5120	R	-	
11510	CRESTWICK DR. #9901-9915 STORM SEWER	REMOVE 165 LF OF EXISTING STORM SEWER ANDCONSTRUCT 540 LF OF 12" TO 30" RCP STORM SEWER	40,000	FY18	Stormwater	YARD, GARAGE AND BASEMENT FLOODING AND YARD EROSION.	5120	R	-	
11510	CRESTWICK DR. #9901-9915 STORM SEWER	REMOVE 165 LF OF EXISTING STORM SEWER ANDCONSTRUCT 540 LF OF 12" TO 30" RCP STORM SEWER	120,000	FY20	Stormwater	YARD, GARAGE AND BASEMENT FLOODING AND YARD EROSION.	5120	R	-	
11511	SCHUETZ ROAD AND WILLOW BROOK COVE STORM SEWERS	CONSTRUCT 410 FEET OF 12-INCH TO 30-INCH STORM SEWER AND 4 TRENCH DRAINS.	65,000	FY17	Stormwater	STREET FLOODING OF SCHUETZ ROAD AND BASEMENT FLOODING OF TWO HOMES.	5120	R	-	
11511	SCHUETZ ROAD AND WILLOW BROOK COVE STORM SEWERS	CONSTRUCT 410 FEET OF 12-INCH TO 30-INCH STORM SEWER AND 4 TRENCH DRAINS.	185,000	FY19	Stormwater	STREET FLOODING OF SCHUETZ ROAD AND BASEMENT FLOODING OF TWO HOMES.	5120	R	-	
11514	CRESTWICK DRIVE #9733 AND 9741 STORM SEWER (SUNSET HILLS 11)	CONSTRUCT 425 FEET OF 12-INCH TO 15-INCH RCP STORM SEWER .	25,000	FY17	Stormwater	BASEMENT FLOODING.	5120	R	-	
11514	CRESTWICK DRIVE #9733 AND 9741 STORM SEWER (SUNSET HILLS 11)	CONSTRUCT 425 FEET OF 12-INCH TO 15-INCH RCP STORM SEWER .	75,000	FY19	Stormwater	BASEMENT FLOODING.	5120	R	-	
11520	MIDRIDGE DRIVE STORM SEWER	CONSTRUCT 560 FEET OF 12-INCH TO 18-INCH STORM SEWERS.	50,000	FY18	Stormwater	EROSION AND YARD FLOODING DUE TO SURFACE FLOWS.	5130	-	Y	
11520	MIDRIDGE DRIVE STORM SEWER	CONSTRUCT 560 FEET OF 12-INCH TO 18-INCH STORM SEWERS.	140,000	FY20	Stormwater	EROSION AND YARD FLOODING DUE TO SURFACE FLOWS.	5130	-	Y	
11522	LOUISIANA AND HOLLY HILLS STORM SEWER	CONSTRUCT 235 FEET OF 12-INCH STORM SEWER .	30,000	FY19	Stormwater	YARD FLOODING.	5130	-	Y	
11522	LOUISIANA AND HOLLY HILLS STORM SEWER	CONSTRUCT 235 FEET OF 12-INCH STORM SEWER .	80,000	FY21	Stormwater	YARD FLOODING.	5130	-	Y	
11530	LARIMORE STORM SEWER	CONSTRUCT 4,860 FEET OF 12-INCH TO 54-INCH STORM SEWER AND CULVERTS.	460,000	FY20	Stormwater	FREQUENT ROADWAY, STRUCTURAL, AND YARD FLOODING.	5130	-	Y	
11530	LARIMORE STORM SEWER	CONSTRUCT 4,860 FEET OF 12-INCH TO 54-INCH STORM SEWER AND CULVERTS.	1,400,000	FY22	Stormwater	FREQUENT ROADWAY, STRUCTURAL, AND YARD FLOODING.	5130	-	Y	
11532	SUMTER RIDGE CT. #1819 STORM SEWER	CONSTRUCT 125 FEET OF 30-INCH STORM SEWER.	15,000	FY17	Stormwater	INFREQUENT STRUCTURAL FLOODING.	5120	R	-	
11532	SUMTER RIDGE CT. #1819 STORM SEWER	CONSTRUCT 125 FEET OF 30-INCH STORM SEWER.	40,000	FY19	Stormwater	INFREQUENT STRUCTURAL FLOODING.	5120	R	-	
11535	DEKAMAY DRIVE STORM SEWER (MGJB-130)	CONSTRUCT 985 FEET OF 15-INCH TO 24-INCH STORM SEWER.	70,000	FY20	Stormwater	FREQUENT STRUCTURAL FLOODING FROM OVERLAND FLOW.	5120	R	-	
11535	DEKAMAY DRIVE STORM SEWER (MGJB-130)	CONSTRUCT 985 FEET OF 15-INCH TO 24-INCH STORM SEWER.	210,000	FY22	Stormwater	FREQUENT STRUCTURAL FLOODING FROM OVERLAND FLOW.	5120	R	-	
11536	NOTTINGHAM ESTATES DR. #5217 STORM SEWER	CONSTRUCT 150 FEET OF 15-INCH STORM SEWER.	15,000	FY20	Stormwater	YARD FLOODING.	5120	R	-	
11536	NOTTINGHAM ESTATES DR. #5217 STORM SEWER	CONSTRUCT 150 FEET OF 15-INCH STORM SEWER.	35,000	FY22	Stormwater	YARD FLOODING.	5120	R	-	
11541	FRONT STREET AND MARSHALL RD. STORM SEWER	CONSTRUCT 880 FEET OF 15-INCH TO 30-INCH STORM SEWER.	145,000	FY18	Stormwater	CAUSES PONDING ON MARSHALL ROAD AT FRONT STREET.	5120	R	-	
11541	FRONT STREET AND MARSHALL RD. STORM SEWER	CONSTRUCT 880 FEET OF 15-INCH TO 30-INCH STORM SEWER.	425,000	FY20	Stormwater	CAUSES PONDING ON MARSHALL ROAD AT FRONT STREET.	5120	R	-	
11542	PARKWOOD DRIVE #8132 STORM SEWER	CONSTRUCT 240 FEET OF 15-INCH STORM SEWER.	30,000	FY18	Stormwater	GARAGE AND YARD FLOODING.	5130	-	Y	
11542	PARKWOOD DRIVE #8132 STORM SEWER	CONSTRUCT 240 FEET OF 15-INCH STORM SEWER.	80,000	FY20	Stormwater	GARAGE AND YARD FLOODING.	5130	-	Y	
11544	LARKIN LN. #8 STORM IMPROVEMENTS (ME-260)	CONSTRUCT 265 FEET OF 12-INCH TO 15-INCH STORM SEWER, AND 1 RAINGARDEN.	25,000	FY20	Stormwater	YARD FLOODING.	5120	R	-	
11544	LARKIN LN. #8 STORM IMPROVEMENTS (ME-260)	CONSTRUCT 265 FEET OF 12-INCH TO 15-INCH STORM SEWER, AND 1 RAINGARDEN.	75,000	FY23	Stormwater	YARD FLOODING.	5120	R	-	
11545	KAYSER AVE. - WALLER AVE. STORM SEWER	CONSTRUCT 810 FEET OF 12-INCH TO 21-INCH RCP STORM SEWER.	80,000	FY20	Stormwater	YARD AND STREET FLOODING.	5130	-	Y	
11545	KAYSER AVE. - WALLER AVE. STORM SEWER	CONSTRUCT 810 FEET OF 12-INCH TO 21-INCH RCP STORM SEWER.	220,000	FY22	Stormwater	YARD AND STREET FLOODING.	5130	-	Y	

Stormwater CIRP Project List

Project Number	Long Name	Description	Budget Amount	Financial Year	Project Type Desc	Problem Description	Fund Number	Red Zone	Yellow Zone	Green Zone
11550	WINCHESTER DRIVE BANK STABILIZATION	CONSTRUCT 930 FEET OF BANK STABILIZATION.	170,000	FY18	Stormwater	STRUCTURAL EROSION.	5130	_	Y	
11550	WINCHESTER DRIVE BANK STABILIZATION	CONSTRUCT 930 FEET OF BANK STABILIZATION.	490,000	FY20	Stormwater	STRUCTURAL EROSION.	5130	_	Y	
11558	GENTLE COURT CHANNEL IMPROVEMENT (WILL-06)	CONSTRUCT 90 FEET OF 7 FOOT HIGH HEAVY STONE REVETMENT, AND GRADE CONTROL STRUCTURE.	25,000	FY20	Stormwater	CREEK EROSION NEAR #39 AND #40 GENTLE COURT.	5120	R	_	
11558	GENTLE COURT CHANNEL IMPROVEMENT (WILL-06)	CONSTRUCT 90 FEET OF 7 FOOT HIGH HEAVY STONE REVETMENT, AND GRADE CONTROL STRUCTURE.	65,000	FY23	Stormwater	CREEK EROSION NEAR #39 AND #40 GENTLE COURT.	5120	R	_	
11569	HARVEST HILL CT. BANK STABILIZATION	CONSTRUCT 420 FEET OF BANK STABILIZATION.	90,000	FY17	Stormwater	MODERATE RISK EROSION TO STRUCTURES.	5120	R	_	
11569	HARVEST HILL CT. BANK STABILIZATION	CONSTRUCT 420 FEET OF BANK STABILIZATION.	260,000	FY19	Stormwater	MODERATE RISK EROSION TO STRUCTURES.	5120	R	_	
11573	SAPPINGTON RD. AND SAPPHIRE RIDGE CT. STORM SEWER	CONSTRUCT 690 FEET OF 15-INCH TO 24-INCH STORM SEWER.	70,000	FY19	Stormwater	STRUCTURAL FLOODING FROM OVERLAND FLOW.	5120	R	_	
11573	SAPPINGTON RD. AND SAPPHIRE RIDGE CT. STORM SEWER	CONSTRUCT 690 FEET OF 15-INCH TO 24-INCH STORM SEWER.	200,000	FY21	Stormwater	STRUCTURAL FLOODING FROM OVERLAND FLOW.	5120	R	_	
11579	GEREMMA AND WHITE TREE CHANNEL IMPROVEMENTS	CONSTRUCT 1,035 FEET OF CHANNEL IMPROVEMENTS.	75,000	FY19	Stormwater	FLOODING FROM THE 10 YEAR STORM EVENT AT 278 GEREMMA DRIVE.	5120	R	_	
11579	GEREMMA AND WHITE TREE CHANNEL IMPROVEMENTS	CONSTRUCT 1,035 FEET OF CHANNEL IMPROVEMENTS.	220,000	FY21	Stormwater	FLOODING FROM THE 10 YEAR STORM EVENT AT 278 GEREMMA DRIVE.	5120	R	_	
11585	MARTIGNEY CREEK - SUNRISE HEIGHTS TO TELEGRAPH PLAZA STREAMBANK STABILIZATION	CONSTRUCT 650 FEET OF COMPOSITE REVETMENT, 150 FEET OF MODULAR BLOCK WALL, AND 10 FEET OF GRADE CONTROL ON A 20 FOOT WIDE SECTION OF THE CREEK.	155,000	FY20	Stormwater	CREEK EROSION AND FLOODING IN YARDS AND COMMON GROUND.	5120	R	_	
11585	MARTIGNEY CREEK - SUNRISE HEIGHTS TO TELEGRAPH PLAZA STREAMBANK STABILIZATION	CONSTRUCT 650 FEET OF COMPOSITE REVETMENT, 150 FEET OF MODULAR BLOCK WALL, AND 10 FEET OF GRADE CONTROL ON A 20 FOOT WIDE SECTION OF THE CREEK.	460,000	FY23	Stormwater	CREEK EROSION AND FLOODING IN YARDS AND COMMON GROUND.	5120	R	_	
11587	CRAIG ROAD #1485 STORM SEWER IMPROVEMENTS	CONSTRUCT 365 FEET OF 12-INCH STORM SEWER, AND 20 FEET OF DIP SANITARY SEWER, .	25,000	FY18	Stormwater	GARAGE AND YARD FLOODING, AND EROSION.	5120	R	_	
11587	CRAIG ROAD #1485 STORM SEWER IMPROVEMENTS	CONSTRUCT 365 FEET OF 12-INCH STORM SEWER, AND 20 FEET OF DIP SANITARY SEWER, .	65,000	FY20	Stormwater	GARAGE AND YARD FLOODING, AND EROSION.	5120	R	_	
11589	HICKORY TREE LN. STORM SEWER	CONSTRUCT 360 FEET OF 12-INCH TO 24-INCH RCP STORM SEWER , ABANDONING 85 FEET OF CMP.	25,000	FY18	Stormwater	BASEMENT AND YARD FLOODING, AND YARD EROSION.	5120	R	_	
11589	HICKORY TREE LN. STORM SEWER	CONSTRUCT 360 FEET OF 12-INCH TO 24-INCH RCP STORM SEWER , ABANDONING 85 FEET OF CMP.	70,000	FY20	Stormwater	BASEMENT AND YARD FLOODING, AND YARD EROSION.	5120	R	_	
11591	VENUS LN. - BRISTORL HALL CT. STORM SEWER	CONSTRUCT A THREE WAY AREA INLET BEHIND 3199 VENUS AND PIPE TO EXISTING INLET, GRADING AREA TO DRAIN TO INLETS.	10,000	FY17	Stormwater	OVERLAND FLOW CAUSING YARD FLOODING.	5120	R	_	
11591	VENUS LN. - BRISTORL HALL CT. STORM SEWER	CONSTRUCT A THREE WAY AREA INLET BEHIND 3199 VENUS AND PIPE TO EXISTING INLET, GRADING AREA TO DRAIN TO INLETS.	25,000	FY19	Stormwater	OVERLAND FLOW CAUSING YARD FLOODING.	5120	R	_	
11592	SUMMER LAKE DR. #15637 STORM SEWER	CONSTRUCT 180 FEET OF 12-INCH STORM SEWER .	10,000	FY17	Stormwater	YARD AND HOME FLOODING DUE TO OVERLAND FLOW.	5120	R	_	
11592	SUMMER LAKE DR. #15637 STORM SEWER	CONSTRUCT 180 FEET OF 12-INCH STORM SEWER .	25,000	FY19	Stormwater	YARD AND HOME FLOODING DUE TO OVERLAND FLOW.	5120	R	_	
11593	BAXTER ROAD #273 AND #301 STORM SEWER	CONSTRUCT 235 FEET OF 12-INCH RCP STORM SEWERS .	15,000	FY17	Stormwater	YARD FLOODING.	5120	R	_	
11593	BAXTER ROAD #273 AND #301 STORM SEWER	CONSTRUCT 235 FEET OF 12-INCH RCP STORM SEWERS .	45,000	FY19	Stormwater	YARD FLOODING.	5120	R	_	
11594	MARTYRIDGE CT. #4307 STORM SEWER (MGMB-170)	CONSTRUCT 100 FEET OF 18-INCH RCP AND TWO STRUCTURES.	20,000	FY17	Stormwater	HIGH RISK EROSION TO ONE MISCELLANEOUS STRUCTURE, BASEMENT FLOODING AND YARD EROSION.	5120	R	_	
11594	MARTYRIDGE CT. #4307 STORM SEWER (MGMB-170)	CONSTRUCT 100 FEET OF 18-INCH RCP AND TWO STRUCTURES.	50,000	FY19	Stormwater	HIGH RISK EROSION TO ONE MISCELLANEOUS STRUCTURE, BASEMENT FLOODING AND YARD EROSION.	5120	R	_	
11598	ORCHARD AND WINDSOR LANE STORM SEWER	CONSTRUCT 830 FEET OF 18-INCH TO 36-INCH STORM SEWER, 20 FEET OF 8-INCH DIP, .	70,000	FY20	Stormwater	YARD AND GARAGE FLOODING.	5130	_	Y	
11598	ORCHARD AND WINDSOR LANE STORM SEWER	CONSTRUCT 830 FEET OF 18-INCH TO 36-INCH STORM SEWER, 20 FEET OF 8-INCH DIP, .	200,000	FY22	Stormwater	YARD AND GARAGE FLOODING.	5130	_	Y	
11600	BROOKVALE TERRACE - PARKFIELD TERRACE STORM IMPROVEMENTS	CONSTRUCT 725 FEET OF 60-INCH TO 72-INCH STORM SEWER , AND 280 FEET OF BANK STABILIZATION.	235,000	FY19	Stormwater	STRUCTURAL FLOODING FROM OVERLAND FLOW AND YARD FLOODING.	5120	R	_	
11600	BROOKVALE TERRACE - PARKFIELD TERRACE STORM IMPROVEMENTS	CONSTRUCT 725 FEET OF 60-INCH TO 72-INCH STORM SEWER , AND 280 FEET OF BANK STABILIZATION.	700,000	FY21	Stormwater	STRUCTURAL FLOODING FROM OVERLAND FLOW AND YARD FLOODING.	5120	R	_	
11604	VILLAGE MEAD DR. #294 STORM SEWER	CONSTRUCT 60 FEET OF 12-INCH STORM SEWER.	10,000	FY18	Stormwater	YARD FLOODING.	5120	R	_	

Stormwater CIRP Project List

Project Number	Long Name	Description	Budget Amount	Financial Year	Project Type Desc	Problem Description	Fund Number	Red Zone	Yellow Zone	Green Zone
11604	VILLAGE MEAD DR. #294 STORM SEWER	CONSTRUCT 60 FEET OF 12-INCH STORM SEWER.	20,000	FY20	Stormwater	YARD FLOODING.	5120	R	-	
11606	CHAMBERS RD. TO NORTHGATE DR. STORM SEWER	CONSTRUCT 1,000 FEET OF 12-INCH TO 24-INCH RCP STORM SEWER.	70,000	FY18	Stormwater	YARD FLOODING.	5130	-	Y	
11606	CHAMBERS RD. TO NORTHGATE DR. STORM SEWER	CONSTRUCT 1,000 FEET OF 12-INCH TO 24-INCH RCP STORM SEWER.	220,000	FY20	Stormwater	YARD FLOODING.	5130	-	Y	
11608	HUNTER'S GLEN CT. #305 STORM SEWER	CONSTRUCT 260 FEET OF 12-INCH TO 15-INCH RCP STORM SEWER.	20,000	FY18	Stormwater	YARD AND STRUCTURE FLOODING.	5120	R	-	
11608	HUNTER'S GLEN CT. #305 STORM SEWER	CONSTRUCT 260 FEET OF 12-INCH TO 15-INCH RCP STORM SEWER.	55,000	FY20	Stormwater	YARD AND STRUCTURE FLOODING.	5120	R	-	
11611	GRAND GLEN DR. #702 STORM IMPROVEMENTS	CONSTRUCT 370 FEET OF 12-INCH STORM SEWER.	25,000	FY19	Stormwater	BASEMENT AND YARD FLOODING FROM OVERLAND FLOW.	5120	R	-	
11611	GRAND GLEN DR. #702 STORM IMPROVEMENTS	CONSTRUCT 370 FEET OF 12-INCH STORM SEWER.	70,000	FY21	Stormwater	BASEMENT AND YARD FLOODING FROM OVERLAND FLOW.	5120	R	-	
11613	BRADBURY DR. #5468 STORM SEWER	REPLACE EXISTING STORM SYSTEM WITH 610 FEET OF 12-INCH TO 30-INCH DIAMETER STORM SEWERS.	50,000	FY18	Stormwater	INADEQUATE STORM SEWER SYSTEM CAUSES FREQUENT FLOODING OF TWO HOMES.	5120	R	-	
11613	BRADBURY DR. #5468 STORM SEWER	REPLACE EXISTING STORM SYSTEM WITH 610 FEET OF 12-INCH TO 30-INCH DIAMETER STORM SEWERS.	140,000	FY20	Stormwater	INADEQUATE STORM SEWER SYSTEM CAUSES FREQUENT FLOODING OF TWO HOMES.	5120	R	-	
11614	MILITARY AND WEISS STORM SEWER	CONSTRUCT 500 FEET OF 12-INCH TO 15-INCH DIAMETER STORM SEWER.	40,000	FY20	Stormwater	FLOODING FROM INADEQUATE ROAD DRAINAGE.	5130	-	Y	
11614	MILITARY AND WEISS STORM SEWER	CONSTRUCT 500 FEET OF 12-INCH TO 15-INCH DIAMETER STORM SEWER.	110,000	FY22	Stormwater	FLOODING FROM INADEQUATE ROAD DRAINAGE.	5130	-	Y	
11617	BARHAM DOWN DR. 700 BLOCK STORM IMPROVEMENTS	CONSTRUCT 505 FEET OF 15-INCH TO 21-INCH STORM SEWERS.	55,000	FY18	Stormwater	BASEMENT AND YARD FLOODING.	5120	R	-	
11617	BARHAM DOWN DR. 700 BLOCK STORM IMPROVEMENTS	CONSTRUCT 505 FEET OF 15-INCH TO 21-INCH STORM SEWERS.	155,000	FY20	Stormwater	BASEMENT AND YARD FLOODING.	5120	R	-	
11618	WHITNEY POINTE DR. #2210 CHANNEL IMPROVEMENTS	CONSTRUCT 130 FEET OF 8 FOOT HIGH ROCK BLOCK WALL AND 310 CY OF HEAVY STONE REVETMENT.	50,000	FY18	Stormwater	HIGH RISK STRUCTURAL EROSION DUE TO CHANNEL INCISION.	5120	R	-	
11618	WHITNEY POINTE DR. #2210 CHANNEL IMPROVEMENTS	CONSTRUCT 130 FEET OF 8 FOOT HIGH ROCK BLOCK WALL AND 310 CY OF HEAVY STONE REVETMENT.	140,000	FY20	Stormwater	HIGH RISK STRUCTURAL EROSION DUE TO CHANNEL INCISION.	5120	R	-	
11620	WINDSOR PLACE #3640 STORM SEWER	CONSTRUCT 240 FEET OF 15-INCH STORM SEWER.	30,000	FY19	Stormwater	STREET PONDING AND STRUCTURAL FLOODING.	5130	-	Y	
11620	WINDSOR PLACE #3640 STORM SEWER	CONSTRUCT 240 FEET OF 15-INCH STORM SEWER.	90,000	FY21	Stormwater	STREET PONDING AND STRUCTURAL FLOODING.	5130	-	Y	
11621	SCHAEFFER PLACE 2000 BLOCK STORM SEWER	CONSTRUCT 290 FEET OF 12-INCH RCP.	30,000	FY17	Stormwater	ALLEY PONDING.	5130	-	Y	
11621	SCHAEFFER PLACE 2000 BLOCK STORM SEWER	CONSTRUCT 290 FEET OF 12-INCH RCP.	80,000	FY19	Stormwater	ALLEY PONDING.	5130	-	Y	
11622	VON TALGE RD.- HAVERLEIGH TERRACE BANK STABILIZATION	CONSTRUCT 475 FEET OF 14 FOOT HIGH MODULAR BLOCK WALL.	150,000	FY18	Stormwater	CREEK EROSION THREATENING FOUR STRUCTURES.	5120	R	-	
11622	VON TALGE RD.- HAVERLEIGH TERRACE BANK STABILIZATION	CONSTRUCT 475 FEET OF 14 FOOT HIGH MODULAR BLOCK WALL.	445,000	FY20	Stormwater	CREEK EROSION THREATENING FOUR STRUCTURES.	5120	R	-	
11623	BRUNSTON DR. #4875 BANK STABILIZATION	CONSTRUCT 120 FEET OF 12 FOOT MODULAR BLOCK RETAINING WALL.	55,000	FY19	Stormwater	MODERATE RISK STRUCTURAL EROSION.	5120	R	-	
11623	BRUNSTON DR. #4875 BANK STABILIZATION	CONSTRUCT 120 FEET OF 12 FOOT MODULAR BLOCK RETAINING WALL.	160,000	FY21	Stormwater	MODERATE RISK STRUCTURAL EROSION.	5120	R	-	
11630	REYNOSIA - MELITTA STREAMBANK STABILIZATION	CONSTRUCT 340 FEET OF 14-FOOT HIGH MODULAR BLOCK RETAINING WALL.	105,000	FY20	Stormwater	MODERATE RISK STRUCTURAL EROSION AT FOUR HOMES.	5120	R	-	
11630	REYNOSIA - MELITTA STREAMBANK STABILIZATION	CONSTRUCT 340 FEET OF 14-FOOT HIGH MODULAR BLOCK RETAINING WALL.	315,000	FY23	Stormwater	MODERATE RISK STRUCTURAL EROSION AT FOUR HOMES.	5120	R	-	
11637	MAYWOOD-MYRON STORM SEWER	CONSTRUCT 70 FEET OF 24-INCH STORM SEWERS AND TRIPLE INLET.	10,000	FY17	Stormwater	FREQUENT STRUCTURAL FLOODING.	5130	-	Y	
11637	MAYWOOD-MYRON STORM SEWER	CONSTRUCT 70 FEET OF 24-INCH STORM SEWERS AND TRIPLE INLET.	40,000	FY19	Stormwater	FREQUENT STRUCTURAL FLOODING.	5130	-	Y	
11638	WINCHESTER DR. #7365 STORM SEWER	CONSTRUCT 20 FEET OF 18-INCH STORM SEWER AND ONE INLET.	10,000	FY17	Stormwater	BASEMENT FLOODING DUE TO INADEQUATE STREET DRAIN.	5130	-	Y	
11638	WINCHESTER DR. #7365 STORM SEWER	CONSTRUCT 20 FEET OF 18-INCH STORM SEWER AND ONE INLET.	20,000	FY19	Stormwater	BASEMENT FLOODING DUE TO INADEQUATE STREET DRAIN.	5130	-	Y	

Stormwater CIRP Project List

Project Number	Long Name	Description	Budget Amount	Financial Year	Project Type Desc	Problem Description	Fund Number	Red Zone	Yellow Zone	Green Zone
11639	FAIRCHILD #6816 STORM SEWER	CONSTRUCT 340 FEET OF 12-INCH TO 21-INCH STORM SEWER.	30,000	FY18	Stormwater	YARD FLOODING.	5130	-	Y	
11639	FAIRCHILD #6816 STORM SEWER	CONSTRUCT 340 FEET OF 12-INCH TO 21-INCH STORM SEWER.	70,000	FY20	Stormwater	YARD FLOODING.	5130	-	Y	
11641	PARDELLA #635 STORM SEWER	CONSTRUCT 1,545 FEET OF 12-INCH TO 18-INCH STORM SEWER.	120,000	FY17	Stormwater	FREQUENT STRUCTURAL FLOODING FROM OVERLAND FLOW.	5130	-	Y	
11641	PARDELLA #635 STORM SEWER	CONSTRUCT 1,545 FEET OF 12-INCH TO 18-INCH STORM SEWER.	340,000	FY19	Stormwater	FREQUENT STRUCTURAL FLOODING FROM OVERLAND FLOW.	5130	-	Y	
11643	TIEMAN AND KAMMERER STORM SEWER	CONSTRUCT 480 FEET OF 12-INCH TO 18-INCH STORM SEWER.	50,000	FY20	Stormwater	YARD AND ALLEY FLOODING.	5130	-	Y	
11643	TIEMAN AND KAMMERER STORM SEWER	CONSTRUCT 480 FEET OF 12-INCH TO 18-INCH STORM SEWER.	140,000	FY22	Stormwater	YARD AND ALLEY FLOODING.	5130	-	Y	
11646	HORN AVE. AND WACHTEL AVE. BANK STABILIZATION	CONSTRUCT 210 FEET OF 4 FOOT HIGH CONCRETE WALL AND BUYOUT OF ONE HOME AT 420 HORN.	50,000	FY20	Stormwater	MODERATE RISK STRUCTURAL EROSION AND FREQUENT STRUCTURAL FLOODING.	5130	-	Y	
11646	HORN AVE. AND WACHTEL AVE. BANK STABILIZATION	CONSTRUCT 210 FEET OF 4 FOOT HIGH CONCRETE WALL AND BUYOUT OF ONE HOME AT 420 HORN.	140,000	FY22	Stormwater	MODERATE RISK STRUCTURAL EROSION AND FREQUENT STRUCTURAL FLOODING.	5130	-	Y	
11647	HOFFMEISTER - REED - PARDELLA STORM SEWER	CONSTRUCT 890 FEET OF 27-INCH TO 42-INCH RCP STORM SEWER.	140,000	FY17	Stormwater	YARD FLOODING AND EROSION DUE TO LACK OF A STORM SEWER SYSTEM.	5130	-	Y	
11647	HOFFMEISTER - REED - PARDELLA STORM SEWER	CONSTRUCT 890 FEET OF 27-INCH TO 42-INCH RCP STORM SEWER.	400,000	FY19	Stormwater	YARD FLOODING AND EROSION DUE TO LACK OF A STORM SEWER SYSTEM.	5130	-	Y	
11662	MCNULTY - PALLARDY I/I REDUCTION	REHABILITATION OF SEWERS TO REMOVE EXCESSIVE INFLOW AND INFILTRATION.	1,300,000	FY17	Wastewater	BUILDING BACKUPS AND OVERCHARGED SANITARY SEWERS.	5564	-	-	G
11678	WEBSTER GROVES TRUNK E SANITARY REHABILITATION AND I/I REDUCTION PHASE IV	REMOVE EXCESSIVE I/I FROM PUBLIC AND PRIVATE SOURCES THROUGH SEWER REHABILITATION AND OTHER METHODS.	1,300,000	FY18	Wastewater	BUILDING BACKUPS DUE TO OVERCHARGED AND DETERIORATED SANITARY SEWERS.	5566	-	-	G
11680	ROXBURY I/I REDUCTION	REMOVE PRIVATE I/I SOURCES FROM SANITARY SEWERS.	657,000	FY18	Wastewater	BUILDING BACKUPS AND OVERCHARGED SANITARY SEWERS.	5566	-	-	G
11682	BALLAS ROAD SUBTRUNK SOUTH I/I REDUCTION	REMOVAL OF PRIVATE I/I SOURCES FROM SANITARY SEWERS.	415,000	FY17	Wastewater	BUILDING BACKUPS, OVERCHARGING SANITARY SEWERS, AND ACTIVATING A CONSTRUCTED SSO.	5566	-	-	G
11735	DELCREST SANITARY RELIEF (SKME-565) I/I REDUCTION	CONSTRUCT 440 FEET OF 12-INCH STORM SEWERS AND REMOVE PRIVATE I/I SOURCES FROM SANITARY SEWERS.	690,000	FY17	Wastewater	BUILDING BACKUPS AND OVERCHARGED SANITARY SEWERS ACTIVATING CONSTRUCTED SSOS.	5566	-	-	G
11883	BLACK CREEK SANITARY SEWER AND I/I REDUCTION	REMOVE EXCESSIVE I/I FROM THE PUBLIC SEWER BY CONSTRUCTING 1,100 FEET OF 8-INCH SANITARY SEWER AND BY REMOVING PRIVATE DEFECTS.	690,000	FY17	Wastewater	BUILDING BACKUPS AND OVERCHARGED SANITARY SEWERS ACTIVATING CONSTRUCTED SSOS.	5566	-	-	G
11884	CEDARCREST PRIVATE I/I REDUCTION (SKME-561)	REMOVE PRIVATE I/I FROM PUBLIC SEWER BY CORRECTING IMPROPER CONNECTIONS ON 300 PROPERTIES.	850,000	FY18	Wastewater	BUILDING BACKUPS AND OVERCHARGED SANITARY SEWERS ACTIVATING CONSTRUCTED SSOS.	5566	-	-	G
11940	ROCK CREEK - GERMANIA TO LOUGHBOROUGH BANK STABILIZATION	RECONSTRUCT 485 FEET OF CHANNEL BANK WITH HEAVY STONE REVETMENT AND BIOSTABILIZATION.	110,000	FY17	Stormwater	MODERATE BANK EROSION THREATENING TRAIL AND CEMETERY ROAD.	5130	-	Y	
11940	ROCK CREEK - GERMANIA TO LOUGHBOROUGH BANK STABILIZATION	RECONSTRUCT 485 FEET OF CHANNEL BANK WITH HEAVY STONE REVETMENT AND BIOSTABILIZATION.	320,000	FY19	Stormwater	MODERATE BANK EROSION THREATENING TRAIL AND CEMETERY ROAD.	5130	-	Y	
11954	HANCOCK AVENUE 5600 BLOCK STORM SEWER	INSTALL 115-LF OF STORM SEWER AND APPURTENANCES TO ALLEVIATE GARAGE FLOODING AT 5610 HANCOCK AVENUE.	20,000	FY18	Stormwater	YARD AND GARAGE FLOODING.	5130	-	Y	
11954	HANCOCK AVENUE 5600 BLOCK STORM SEWER	INSTALL 115-LF OF STORM SEWER AND APPURTENANCES TO ALLEVIATE GARAGE FLOODING AT 5610 HANCOCK AVENUE.	40,000	FY20	Stormwater	YARD AND GARAGE FLOODING.	5130	-	Y	
12430	AVIGNON CT & BEUCAIRE DR STORM SEWER (WARSON WOODS 3 - 04 05 06)	CONSTRUCT 765 FEET OF 12-INCH TO 18-INCH STORM SEWER.	170,000	FY18	Stormwater	BASEMENT AND YARD FLOODING.	5566	-	-	G
12535	LAKE VALLEY DR STORM SEWER REPLACEMENT	CONSTRUCT 55 FEET OF 15-INCH STORM SEWER AND 10 FEET OF CMP.	45,000	FY17	Stormwater	EXISTING SEWER IS DETERIORATED, CAUSING CAVE-INS.	5564	-	-	G

59,643,200